



WELCOME TO THE BRIGHTEST WORLD OF



MODERN LIGHTINGS

LED & PROJECT LIGHTING SOLUTIONS







OUR JOURNEY OUR PASSION

Led Linear Lighting is our passion.

Founded in August 2013, Alich Industries manufactures & supplies high quality linear LED lighting solutions based on latest Industrial trends & Standards.We specializes in **designs**, **development and manufacturing of custom-made LED Profile lighting** for architectural, residential and commercial industries based on a very cost effective, unique modular Led Lighting solution approach for interior or exterior linear lighting solutions. Based on this philosophy and the depth of our LED knowledge we are constantly working on development of innovative new products right from conceptualisation to development and production of all the elements.

We work together with lighting wholesalers, lighting designers, architects to provide the end user with the perfect solution for their applications.





WHAT WE DO

We Manufacture LED lighting and we are unique global manufacturer and distributor of LED lighting in the world.

Our business model is based and oriented towards requirements and needs of our clients. Besides that, every item in our wide range of products is customizable in terms of aesthetic and, most importantly technical features.



OUR CORE VALUES





U.S.







AL-SF-0709

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 7.6 mm, (H) 8.9 mm

External Accessories




Plastic Sidecap (with/without hole)











AL-CP-0709

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter Max
Size	Profile (W) 13.2 mm, (H) 8.9 mm

External Accessories




Plastic Sidecap (with/without hole)











AL-SF-1109

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 11 mm, (H) 9 mm

External Accessories



Plastic Sidecap (with/without hole)









AL-CP-1109

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 17 mm, (H) 9 mm

External Accessories




Plastic Sidecap (with/without hole)











AL-SF-1607

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 15.4 mm, (H) 6.5 mm

External Accessories




Plastic Sidecap (with/without hole)











AL-CP-1607

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W)21.3 mm, (H) 6.5 mm

External Accessories




Plastic Sidecap (with/without hole)











AL-SF-1612

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3. meter
Length	2 meter, 3 meter max
Size	Profile (W) 15.4 mm, (H) 11.9 mm

External Accessories



Plastic Sidecap (with/without hole)









AL-CP-1612

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 21.7 mm, (H) 11.9 mm

External Accessories



Plastic Sidecap (with/without hole)




S.S. Metal Endcap



11.9







AL-SF-1707

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 17 mm, (H) 6.2 mm

External Accessories



Plastic Sidecap (with/without hole)









AL-CP-1707

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 23.4 mm, (H) 6.2 mm


External Accessories



Plastic Sidecap (with/without hole)











AL-SF-1712

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3. meter
Length	2 meter, 3 meter max
Size	Profile (W) 17 mm, (H) 12 mm

External Accessories



Plastic Sidecap (with/without hole)









23.3

AL-CP-1712

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 23.3 mm, (H) 12 mm

External Accessories



Plastic Sidecap (with/without hole)









AL-CO1616

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 16 mm, (H) 16 mm

External Accessories



Plastic Sidecap (with/without hole)



S.S. Metal Endcap







AL-CO1818

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 18.1 mm, (H) 18.1 mm

External Accessories



Plastic Sidecap (with/without hole)











Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 23 mm, (H) 9 mm


External Accessories



Plastic Sidecap (with/without hole)











AL-CP-2309

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 28.86 mm, (H) 9 mm


External Accessories



Plastic Sidecap (with/without hole)











AL-SF-2323

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 23 mm, (H) 23 mm

External Accessories



Plastic Sidecap (with/without hole)



S.S. Metal Endcap







AL-CP-2323

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 28.86 mm, (H) 23 mm

External Accessories



Plastic Sidecap (with/without hole)









AL-SF-3535


Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver / Black
Diffuser	continuous Max 3.68 meter
Length	2 meter, 2.44 meter, 3 meter and 3.68 meter max
Size	Profile (W) 35 mm, (H) 35 mm

External Accessories



Screw less Aluminum Metal Endcap









AL-CP-3535

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver / Black
Diffuser	continuous Max 3.68 meter
Length	2 meter, 2.44 meter, 3 meter and 3.68 meter max
Size	Profile (W) 45 mm, (H) 35 mm

External Accessories



Screw less Aluminum Metal Endcap

Slider and Spring









AL-SF-3512

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 35 mm, (H) 12 mm

External Accessories



Plastic Sidecap (with/without hole)









AL-CP-3512

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 45 mm, (H) 12 mm

External Accessories



Plastic Sidecap (with/without hole)









AL-IN -3570

Specifications


Material	Extruded Aluminium 6063
Finish	Anodised - Silver / Black
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and max 3.68 meter
Size	Profile (W) 35 mm, (H) 70 mm

Inbuilt Driver



Screw less Aluminum Metal Endcap









AL-SF-5035


Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous 2.44 meter and Max 3.68 meter
Length	2 meter, 2.44 meter, 3 meter and 3.68 meter
Size	Profile (W) 52.5 mm, (H) 35 mm

External Accessories




Screw less Aluminum Metal Endcap











AL-CP-5035

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2 meter, 2.44 meter, 3 meter and 3.68 meter
Size	Profile (W) 65 mm, (H) 35 mm

External Driver



Screw less Aluminum Metal Endcap

Slider and Spring







12

AL-SF-5012

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 52.5 mm, (H) 12 mm

External Accessories




Plastic Sidecap (with/without hole)









AL-CP-5012

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter, 3 meter max
Size	Profile (W) 65 mm, (H) 12 mm

External Accessories




Plastic Sidecap (with/without hole)









AL-IN-5070

Specifications


Material	Extruded Aluminium 6063
Finish	Anodised - Silver / Black
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 52.5 mm, (H) 70 mm

Inbuilt Driver









52.5 52.8

AL- IN - 5050

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver / Black
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 52.5 mm, (H) 52.8 mm

Inbuilt Driver










AL-SF-7235

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 72.2 mm, (H) 35 mm

External Accessories

















Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 88.2 mm, (H) 35 mm

External Accessories










AL-SF-7535

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 75 mm, (H) 35 mm

External Accessories














AL-CP-7535

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 91 mm, (H) 35 mm

External Accessories










AL-IN-7590

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver / Black
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 75 mm, (H) 90 mm

Inbuilt Driver











AL-SF-10035

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and max 3.68 meter
Size	Profile (W) 100 mm, (H) 35 mm


External Accessories











AL-CP-10035

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and max 3.68 meter
Size	Profile (W) 116 mm, (H) 35 mm

External Accessories









AL-OV-37

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 37 mm

External Accessories




Plastic Sidecap (with/without hole)









AL-OV-37-H

Specifications

100% MADE IN

۲

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (W) 37 mm

External Accessories



Plastic Sidecap (with/without hole)








AL-Y-3930

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter and Max 3 meter
Size	Profile (W) 38.64 mm, (H) 29.73 mm

External Accessories









AL-Y-5853

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter and Max 3 meter
Size	Profile (W) 58 mm, (H) 53.5 mm

External Accessories










AL-HG-2915

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter and Max 3 meter
Size	Profile (W) 14.8 mm, (H) 28.77 mm

External Accessories












AL-RO-60

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	2.44 meter and Max 3.68 meter
Size	Profile (Dia) 60 mm round

External Accessories














AL-SK-7025

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter and Max 3 meter
Size	Profile (W) 25.3 mm, (H) 70 mm

External Accessories










AL-FU-2109

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter and Max 3 meter
Size	Profile (W) 8.7 mm, (H) 20.7 mm


External Accessories












AL-WP-7024

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3 meter
Length	2 meter and Max 3 meter
Size	Profile (W) 15.2 mm, (H) 70.11 mm

External Accessories









AL-IP-1818

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	3 meter and Max 3.68 meter
Size	Profile (W) 18 mm, (H) 18 mm

External Accessories









S 15.3

AL- IP - 3030

Specifications

Material	Extruded Aluminium 6063
Finish	Anodised - Silver
Diffuser	continuous Max 3.68 meter
Length	3 meter and Max 3.68 meter
Size	Profile (W) 30 mm, (H) 30 mm

External Accessories



Plastic Sidecap (with/without hole)





Plot No. P-46 to 48, Ground Floor, Shree Laxminarayan Ind. Park, Opp. Daxeshwar Mahadev Temple, BRC Compund, Udhana, Surat - 394 210

> info@alichindustries.com 1 alich.ledlights@gmail.com Customer Care : +91 93131 33387

> > www.alichindustries.com